



THIS DRAWING CONTAINS PROPRIETARY INFORMATION WHICH IS THE CONFIDENTIAL PROPERTY OF DATA TRANSLATION, INC. IT SHALL NOT BE COPIED, REPRODUCED, DISSEMINATED, PUBLISHED OR USED IN THE MANNER OR IN PART WITHOUT THE EXPRESS WRITTEN PERMISSION OF DATA TRANSLATION, INC.

REV.	DATE	DESCRIPTION	DESIGNED	DRAWN	APPROVED
001	01/11/1998	INITIAL RELEASE			

PCB DIMENSIONS AND HOLE LOCATIONS



COMPONENT LOCATIONS



MAXIMUM COMPONENT HEIGHT  
COMPONENT SIZE = 413 (10.5)  
HOLE SIZE = 100 (2.54)

NOTES:  
1. MATERIAL: .062 +/- .006 THICK, FR4.

COMPONENT CHART			
REF DES	MANUFACTURER	MANUFACTURER P/N	DT P/N
CR3	LUMEX	SSF-LXH100MLGD	20690
J3,J4	TYCO	5103309-5	23191
J1A	BULGIN	14191	23202

DRILL CHART			
ALL UNITS ARE IN MILS			
FIGURE	SIZE	PLATED	QTY
◆	13.0	PLATED	725
▲	32.0	PLATED	10
■	35.0	PLATED	9
◇	40.0	PLATED	50
◊	55.0	PLATED	2
○	90.0	PLATED	2
○	125.0	PLATED	1
○	125.0	NON-PLATED	3

PCB CHART	
PCB	REV.
23196	0

DATA TRANSLATION			
DATE	BY	DATE	BY
01/11/1998	J. BONDEN	01/11/1998	J. BONDEN
SALES DRAWING			
DT9812 - 10V - OEM			
SEE NOTE 1		D	23198 0